


www.corenzoeco.com
cagrikayabay@corenzoeco.com
Tel: +90 542 189 19 26
Popovici 46, 85000 Bar, Crna Gora
Çetin Emeç Mah. Fethi Okyar Sok. No:3 D:5
İzmir Turkey



CorEnzo
EcoService

AUTOMATIC VERTICAL BALING PRESS

CRZ VERTICAL BALLING PRESS

The Vertical Bale Press is designed to compress solid waste and save transportation and storage space. It makes it possible to reduce the area to be covered by your waste up to 10 times by making high compression and to save a lot from storage and transportation costs. It is used in recycling facilities, garbage sorting lines and all other businesses. Vertical bale press machines are generally produced in the form of manual wire tying. Technically, the expense of automating wire tying is overkill for vertical balers and is therefore uneconomical. Vertical Balers can compress almost any product into a bale. Our range of balers has been created with safety precautions in mind. Our designs that provide ergonomics and efficiency can be used effectively in any workplace.

Although all vertical balers work similarly to each other, we have productions in various capacities in different sizes according to different needs. Vertical Balers are generally produced in sizes that produce bales with 5T, 10T, 20T, 50T, 80T hydraulic pressure.

Vertical Baler Use Advantages


With Corenzo Vertical Baling Presses, you can press 30-500 kilograms of corrugated cardboard paper, cardboard, office paper, nylon, plastic, wet wipes, kraft bag packaging.

It reduces labor, time, storage and transportation costs.

It provides energy efficiency.


It saves space with its unique compact design.

It reduces recycling costs.



PRESSURE FORCE	RATE OF ENGINE	BALE WEIGHT	BALE SIZE	NUMBER OF BINDINGS	WIDHT	DEPTH	HEIGHT
5T	2.2 kW	60-80kg	(W)700x (D)500x (H)800mm.	2	900mm.	700mm.	2250mm.
15T	3 kW	170-220kg	(W)1000x (D)700x (H)800mm.	4	1300mm.	1000mm.	3000mm.
20T	4 kW	200-270kg	(W)1100x (D)700x (H)850mm.	4	1300mm.	1000mm.	2600mm.
25T	5.5 kW	250-290kg	(W)1200x (D)800x (H)850mm.	4	1500mm.	1000mm.	2700mm.
50T	7.5 kW	450-500kg	(W)1200x (D)800x (H)850mm.	4	1500mm.	1000mm.	2700mm.

www.corenzoeco.com
cagrikayabay@corenzoeco.com
Tel: +90 542 189 19 26
Popovici 46, 85000 Bar, Crna Gora
Çetin Emeç Mah. Fethi Okyar Sok. No:3 D:5
İzmir Turkey.





CorEnzo
EcoService




CorEnzo
EcoService

AUTOMATIC VERTICAL BALING PRESS




W

PRESSURE FORCE	RATE OF ENGINE	BALE WEIGHT	BALE SIZE	NUMBER OF BINDINGS	WIDHT	DEPTH	HEIGHT
5T	2.2 kW	60-80kg	(W)700x (D)500x (H)800mm.	2	900mm.	700mm.	1865mm.
15T	3 kW	170-220kg	(W)1000x (D)700x (H)800mm.	4	1300mm.	1000mm.	1865mm.
20T	4 kW	200-270kg	(W)1100x (D)700x (H)850mm.	4	1300mm.	1000mm.	1865mm.
25T	5.5 kW	250-290kg	(W)1200x (D)800x (H)850mm.	4	1500mm.	1000mm.	1865mm.
50T	7.5 kW	450-500kg	(W)1200x (D)800x (H)850mm.	4	1500mm.	1000mm.	1865mm.



CorEnzo
EcoService

AUTOMATIC VERTICAL BALING PRESS



PRESSURE FORCE	RATE OF ENGINE	BALE WEIGHT	BALE SIZE	NUMBER OF BINDINGS	WIDHT	DEPTH	HEIGHT
5T	2.2 kW	60-80kg	(W)700x (D)500x (H)800mm.	2	900mm.	700mm.	2250mm.
15T	3 kW	170-220kg	(W)1000x (D)700x (H)800mm.	4	1300mm.	1000mm.	3000mm.
20T	4 kW	200-270kg	(W)1100x (D)700x (H)850mm.	4	1300mm.	1000mm.	2600mm.
25T	5.5 kW	250-290kg	(W)1200x (D)800x (H)850mm.	4	1500mm.	1000mm.	2700mm.
50T	7.5 kW	450-500kg	(W)1200x (D)800x (H)850mm.	4	1500mm.	1000mm.	2700mm.